

# KNOX-BOX<sup>®</sup>

## Rapid Entry System

Helping the Fire Department Protect Your Property



Knox-Box<sup>®</sup> 3200 Series



Knox-Vault<sup>®</sup> 4100 Series




Knox-Vault<sup>®</sup> 4400 Series



Knox Elevator Lobby Box



Knox Cabinets



FDC Protection Products



Padlocks, Key Switches



Master Key Retention



Electrical Shutdown



Knox Residential Products

**KNOX-BOX<sup>®</sup> access**  
**provides faster emergency**  
**response without**  
**forced entry damage.**



# The Complete UL Listed, One-Key Fire Department Emergency Access System.



Knox-Box® 3200 Series



Surface Mount



## 3200 Series KNOX-BOX®

This leading high security, heavy-duty key box is used for most commercial applications including businesses, schools, government and public buildings, community associations and apartment complexes.

### KNOX-BOX® - 3200 SERIES

**Dimensions:** Surface - Lift-Off Door 5"H x 4"W x 3-3/4"D  
 Hinged Door 4"H x 5"W x 3-3/4"D  
 Recessed - 7"H x 7"W (flange only)

**Weight:** Approx. 10 lbs.

- Options:**
- Hinged or lift-off door models.
  - UL listed alarm tamper switches that connect to building's security system.
  - Recessed Mounting Kit for new concrete or masonry construction.

**Finish:** Knox-Coat® proprietary coating system with 6 times longer protection than standard powder coat.

**Colors:** Dark bronze, black or aluminum.



Hinged Door Recessed Mount



Hinged Door Surface Mount



Lift-off Door Surface Mount

Knox-Vault® 4100 Series



Interior Closeup



## NEW 4100 Series KNOX-VAULT®

A new Knox-Box that's for those applications where a 3200 Series is too small yet the 4400 Series is too large. In addition to keys and access cards, the 4100 also holds the Knox FDC Keywrench allowing departments to keep a keywrench on site.

### KNOX-VAULT® - 4100 SERIES

**Dimensions:** Surface - 6"H x 6"W x 4-1/2"D  
 Recessed - 8-1/2"H x 8-1/2"W (flange only) x 4-1/2"D

**Weight:** Approx. 19 lbs.

- Options:**
- UL listed alarm tamper switches that connect to building's security system.
  - Recessed Mounting Kit for new concrete or masonry construction.
  - Access card/Keywrench holder
  - Dual lock options.

**Finish:** Knox-Coat® proprietary coating system with 6 times longer protection than standard powder coat.

**Colors:** Dark bronze, black or aluminum.



Recessed Mount



Surface Mount

Knox-Vault® 4400 Series



Recessed Mount



## 4400 Series KNOX-VAULT®

Key vaults protect building keys, access cards and floor plans for larger businesses, industrial properties, public buildings and universities.

### KNOX-VAULT® - 4400 SERIES

**Dimensions:** Surface - 7"H x 7"W x 5"D  
 Recessed - 9-1/2"H x 9-1/2"W (flange only) x 5"D

**Weight:** Approx. 29 lbs.

- Options:**
- UL listed alarm tamper switches that connect to building's security system
  - Recessed Mounting Kit for new concrete or masonry construction.
  - Dual lock options.

**Finish:** Knox-Coat® proprietary coating system with 6 times longer protection than standard powder coat.

**Colors:** Dark bronze, black or aluminum.



Dual Lock Option Surface Mount



Recessed Mount



Fire departments across the country use the Knox® System to prevent costly forced entry damage while protecting property and lives. Knox key boxes, vaults and cabinets hold building entrance keys, electronic access cards and vital emergency information. Knox key switches and padlocks provide fire department access through property gates.

As the property owner, you purchase a KNOX-BOX® device then mount it near your building entrance or property gate according to fire department guidelines. Firefighters use a unique high security Knox® Master Key to open KNOX-BOX devices in their jurisdiction.



3772 Shrouded All Weather Use  
3770 All Weather Use  
3771 Interior Use

### KNOX® PADLOCK

Knox® padlocks secure equipment lockers, restricted utility areas and fire access gates.

#### KNOX® ALL WEATHER SHROUDED PADLOCK – Model 3772

**Dimensions:** 3/4" H shackle clearance, 7/16" diameter stainless steel shackle with protective shroud cover  
**Finish:** Brass body with EPDM rubber lock and body cover with stainless steel shackle and brass cylinder.

#### KNOX® ALL WEATHER PADLOCK – Model 3770

**Dimensions:** 1-13/16" H shackle clearance, 7/16" diameter stainless steel shackle  
**Finish:** Brass body and lock cover, EPDM rubber body cover with stainless steel shackle and brass cylinder.

#### KNOX® INTERIOR LIGHT DUTY PADLOCK – Model 3771

**Dimensions:** 2-3/8" H shackle clearance, 5/16" diameter hardened steel shackle.  
**Finish:** Steel body with hardened steel shackle.



Knox® Padlocks



Armored Key Cabinet

Dual Lock Option

### KNOX® CABINET

Knox® cabinets provide onsite, high security storage for MSDS, Haz-Mat data, pre-fire plans and key storage for industrial and commercial sites and government installations.

#### KNOX® CABINET - 1300 SERIES

**Dimensions:** 18"H x 14-1/2"W x 5" or 7"D

**Weight:** Approx. 65 lbs.

- Options:**
- UL listed alarm tamper switches for connection to building's security system.
  - Single lock standard, dual lock and other lock options available.
  - 40 hook key back panel and 78 hook swing panel available.
  - Total capacity 231 keys with expansion panels.
  - Model 1201 Weather Housing should be used for unprotected outdoor installations.

**Finish:** Knox-Coat® proprietary coating system.

**Color:** Light grey.



Knox® Cabinet



Key Switch / Heavy Stainless Cover

### KNOX® KEY SWITCH

Excellent gate override for gated communities, apartment complexes, parking garages, pedestrian gates, emergency machinery shutdown and industrial gated areas.

#### KNOX® KEY SWITCH - 3500 SERIES

**Dimensions:** Requires 2" recessed depth x 3/4" diameter.

**Switch:** S.P.S.T. 7A res. 4A ind. at 28VDC. 7A res. or ind. at 115VAC, 60Hz. UL and CSA listed. 7-position key removal.

**Mounting:** Key switch is designed to be recess mounted. Face plate and lock cover ensures weather resistant operation.

**Options:** Momentary switch available. For custom switch applications, consult factory.



Knox® Key Switches

**For contractor specs or custom items, contact factory at 800-552-5669.**



## KNOX® LOCKING FDC PRODUCTS

Knox locking FDC products protect both the intake and discharge sides of water based fire protection systems from vandalism and prevent excessive service calls. The locking FDC plug with **Swivel-Guard™** covers the entire swivel connection making the set screws inaccessible and minimizing the theft of the brass connection.

### KNOX® FDC PLUG - 3000 SERIES

**Dimensions:** 1-1/2" and 2-1/2" male plug.

**Weight:** Approx. 3 lbs.

**Properties:** Solid stainless steel with stainless front cover

**Finish:** Bright stainless or chrome-like stainless

**Option:** Swivel-Guard™

### KNOX® StorzGuard®

**Dimensions:** 4" & 5" Storz connections

**Weight:** 5 lbs.

**Properties:** Hard-anodized aluminum

### KNOX® SecureCap®

**Dimensions:** 2-1/2" female cap

**Weight:** 7 lbs.

**Properties:** Stainless steel exterior with solid brass threads



Lift-off Door Surface Mount



Hinged Door with Temporary Door Hanger

## KNOX® RESIDENTIAL

The residential key box is used for fire and medical emergencies on single family homes and apartment complexes. For residential use only, it holds a maximum of two keys. It can be mounted permanently near the door or directly on the door or if the key box is needed only for a short-term illness, it is available with a temporary door hanger.

### KNOX® RESIDENTIAL - 1650 SERIES

**Dimensions:** Lift-Off 5"H x 4"W x 2-3/4"D. Hinged 4"H x 5"W x 2-3/4"D. Recessed 7"H x 7"W (flange only). Door hanger model has door bracket designed to fit over maximum 1-7/8" thick door.

**Weight:** Approx. 7 lbs.

**Options:** Hinged or lift-off door models.

**Finish:** Knox-Coat® proprietary coating system with 6 times longer protection than standard powder coat.

**Color:** Dark bronze, black or aluminum.



## COMING SOON

### KNOX® ELECTRICAL SHUTDOWN SWITCH



The 4500 remote electrical shutdown box houses an electrical service disconnect switch that can be used by first responders during an emergency.

## COMING SOON

### KNOX® ELEVATOR/LOBBY BOX



The Knox UL listed high security box is designed specifically for the elevator lobby where elevator keys and additional keys can be stored according to the latest IFC standard. The box is UL1037 compliant.



**For Order Information, Please Call Your Fire Department or Visit [www.knoxbox.com](http://www.knoxbox.com)**

